Swell Pablo

Lighting





The Swell modular system bridges the divide between indoor and outdoor lighting. Its three shade designs pair fluid lines with a radiant brass interior and can be mixed and matched to create dynamic LED lamp groupings.


Features

- Suspended individually, as a chandelier, or as a flowing string of lamps connected to a single power source
- Shades formed from spun aluminum
- Steel canopy
- · Pendants with multiple lights come with a white canopy
- Pendants with one light come with a canopy that matches the cord color
- 40,000-hour LED lifespan
- Suitable for indoor and outdoor use


Certifications

- CE Certified
- ETL Listed
- RoHS Cvompliant

Pendant with One Light, Narrow



Pendant with One Light, Medium



Specifications

Bulb Type: Voltage: Power Consumption: Color Temperature: Luminosity: Luminaire Efficacy: Color Rendition Index: Rated Lifespan: Power Cord:


LED 120V 60Hz 11 watts per light 3,000K 800 lumens per light 73 lumens/watt 82 40,000 hours 10 feet, field cuttable (pendant lights); 8 feet, field cuttable (string lights)

Finishes


Standard Trim Colors Black exterior, Brass interior White exterior, Brass interior

Premium Trim Color Brass exterior, Brass interior


Pendant with One Light, Wide




Pendant with Three Lights, Mixed




Pendant with Six Lights, Mixed




String with Three Lights, Mixed



String with One Light, Narrow



String with One Light, Medium



String with One Light, Wide

